

## 3300 liter tank i Rostfritt 304



**65,000,00 kr /st exkl moms**

**Additional information:** Dairy; 1 manhole appr. 415 x 495 mm in the front bottom; some residues of previous content

**Volumetric volume (L):** 3.300 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** DN50 DIN 11851

**Agitator:** yes

**Number of revolutions:** 680

**Power:** 0,30

**Internal diameter tank:** 1.390 mm

**Outer diameter tank:** 1.500 mm

**Total height of tank:** 1.850 mm

**Total outer length:** 3.050 mm

**SKU:** 279130

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; 1 manhole appr. 415 x 495 mm in the front bottom; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3300

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.390 mm

Total höjd: 1.850 mm

Ytterdiameter: 1.500 mm

## Omrörare

Kraft (kW): 0,30

Varvtal: 680

**Mer**

Isolerad: Ja

---