

## 3300 liter tank i Rostfritt 304



**105 000 SEK /st exkl moms**

**Additional information:** Pharmacy; Double jacket with electric plug-in heater: 9 kW (functionality not guaranteed) around the lower cylinder area and the lower floor; height-adjustable foot-frame, Aisi 304; Internal fittings (e.g. welded brackets) inside the tank

**Volumetric volume (L):** 3.300 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket  
**Type HE on the cylinder:** heating/cooling jacket  
**Heat exchanger:** RVS 304  
**Documents included:** no  
**Technical drawing included:** no

**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** cylinder  
**Outlet of tank:** DN50 DIN 11851  
**Agitator:** yes

**Number of revolutions:** 5.7 - 40  
**Power:** 1,10  
**Internal diameter tank:** 1.480 mm  
**Outer diameter tank:** 1.650 mm  
**Cylinder height:** 1.950 mm

**Total height of tank:** 3.450 mm

**SKU:** 291113

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Double jacket with electric plug-in heater: 9 kW (functionality not guaranteed) around the lower cylinder area and the lower floor; height-adjustable foot-frame, Aisi 304; Internal

Övrig information2: fittings (e.g. welded brackets) inside the tank; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3300

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 1.950 mm

Invändig diameter: 1.480 mm

Total höjd: 3.450 mm

Ytterdiameter: 1.650 mm



## **Omrörare**

Kraft (kW): 1,10

Varvtal: 5.7 - 40

## **Mer**

Värmeväxlare: RVS 304

Isolerad: Ja