3300 liter tank i Rostfritt 304



81 000 SEK /st exkl moms

Additional information: There are devices for Fe load cells under the base plates (see photos); dents at the insulation jacket
Volumetric volume (L): 3.300 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the cylinder: half pipe welded onto the outside of the innertank
Heat exchanger: RVS 304
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Position of manway: headside
Outlet of tank: DN65 DIN 11851
Agitator: yes
Number of revolutions: 950

Power: 1,50
Internal diameter tank: 1.490 mm
Outer diameter tank: 1.650 mm
Cylinder height: 1.650 mm
Total height of tank: 4.450 mm

SKU: 390347

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Mobil tank: Nej
Övrig information: brewery; devices for weighing cells under the footplates (see pictures); dents at the insulation jacket; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees
Övrig information2: about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 3300

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.650 mm
Invändig diameter: 1.490 mm
Total höjd: 4.450 mm
Ytterdiameter: 1.650 mm

Omrörare
Kraft (kW): 1,50
Varvtal: 950

Mer
Värmeväxlare: RVS 304
Isolerad: Ja