

## 3300 liter tank i Syrafast 316



**74 000 SEK /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** ex beer tank, still some traces of beer in the tank

**Volumetric volume (L):** 3.300 L

**Max. density P (kg/m<sup>3</sup>):** 1.200

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Shape of tank:** cylindrical

**Total discharge:** yes

**Type of HE on the cylinder:** half pipe welded onto the outside of the innertank

**Position HE:** the middle part of the cilinder

**Number of windings:** 5

**Height HE:** 1.061 mm

**Number of sections:** 1

**Water pressure HE:** 2,50 Bar

**Contact surface cylinder:** 2,70 m<sup>2</sup>

**Connection HE:** 1" BSP

**Working temperature HE cylinder:** 60 °C

**Heat exchanger:** RVS 304

**Manway(s):** RVS 316

**Gasket manway(s):** parra rubber

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** headside

**Height manhole 1 (mm):** 500 mm

**Hinged lid:** yes

**CIP spray ball:** yes

**Tank outlet:** inside Ø 65 mm

**Outlet type:** DIN11851

**Adjustable legs:** yes

**Agitator:** no

**Top:** 3 mm

**Cylinder:** 2,50 mm

**Bottom:** 2 mm  
**Internal diameter tank:** 1.592 mm  
**Distance from outlet to ground:** 250 mm

**Outer diameter tank:** 1.665 mm  
**Cylinder height:** 1.500 mm  
**Feet height:** 658 mm  
**Total height of tank:** 2.750 mm  
**Empty weight tank:** 335

**SKU:** 482728

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Syrafast 316  
Modell: Vertikal  
Nyttilverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Maximal densitet för produkten: 1200  
Mobil tank: Nej  
Övrig information: ex beer tank, still some traces of beer in the tank  
Omrörare: Nej  
Tankens form: cylindrical  
Total urtappning: Ja  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 3300

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 65 mm  
Teknisk ritning finns: Nej  
Utloppstyp: DIN11851

## Översikt material

Material: Syrafast 316  
Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 1.500 mm  
Höjd på fötter: 658 mm  
Invändig diameter: 1.592 mm  
Mått utlopp till marken: 250 mm  
Total höjd: 2.750 mm  
Ytterdiameter: 1.665 mm

## Värmeväxlare

Anslutning värmeväxlare: 1" BSP  
Arbetstemperatur värmeväxlare cylinder: 60 °C  
Höjd värmeväxlare: 1.061 mm  
Kontaktyta cylinder: 2,70 m<sup>2</sup>  
Position värmeväxlare: the middle part of the cilinder  
Typ av värmeväxlare på cylinder: half pipe welded onto the outside of the innertank  
Vattentryck värmeväxlare: 2,50 Bar

## Tjocklek på tank

Botten: 2 mm  
Cylinder: 2,50 mm  
Topp: 3 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej

Vikt: 335