

## 3331 liter tank i Rostfritt 304



**131 000 SEK /st exkl moms**

**Volumetric volume (L):** 3.331 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 90 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 32 L

**Max Overpressure:** 2 Bar

**Max. working temperature:** 120 °C

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** yes

**Position of manway:** in the bottom

**Outlet of tank:** DN50 DIN 11851

**Top:** 2,50 mm

**Cylinder:** 3 mm

**Bottom:** 3 mm

**Internal diameter tank:** 1.592 mm

**Cylinder height:** 1.500 mm

**Total height of tank:** 2.580 mm

**SKU:** 270277

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Max. arbetstemperatur: 90 °C  
Mobil tank: Nej  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 3331

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Ja  
Märkskylt: Ja  
Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 1.500 mm  
Invändig diameter: 1.592 mm  
Total höjd: 2.580 mm

### Tjocklek på tank

Botten: 3 mm  
Cylinder: 3 mm  
Topp: 2,50 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej