

3380 liter tank i Syrafast 316



59 000 SEK /st exkl moms

Additional information: 4 stainless steel lugs; manhole diameter approx. 510 mm

Volumetric volume (L): 3.380 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN50

Cylinder: 4,20 mm

Internal diameter tank: 1.794 mm

Cylinder height: 1.060 mm

Total height of tank: 2.170 mm

Empty weight tank: 500

SKU: 709702

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 4 stainless steel lugs; manhole diameter approx. 510 mm

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3380

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.060 mm

Invändig diameter: 1.794 mm

Total höjd: 2.170 mm

Tjocklek på tank

Cylinder: 4,20 mm



Mer

Isolerad: Nej

Vikt: 500