

## 3400 liter tank i Rostfritt 304



**61 000 SEK /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** the legs are raised with short steel leg ends, these are removable, see photos; we can't give any guarantees about the agitator

**Volumetric volume (L):** 3.400 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 2 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin



**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** dished

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 500 mm

**Tank outlet:** inside Ø 80 mm

**Agitator:** yes

**Agitator type:** propeller agitator

**Position engine:** at the top

**Distance from outlet to ground:** 1.000 mm

**Outer diameter tank:** 1.600 mm

**Cylinder height:** 1.350 mm

**Total height of tank:** 3.700 mm

**Empty weight tank:** 800

**SKU:** 479400

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: the legs are raised with short steel leg ends, these are removable, see photos; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 2 Bar

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3400

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Tankutlopp: inside Ø 80 mm

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304



## **Dimensioner av tank**

Cylinderhöjd: 1.350 mm

Mått utlopp till marken: 1.000 mm

Total höjd: 3.700 mm

Ytterdiameter: 1.600 mm

## **Omrörare**

Position motor: at the top

Typ av omrörare: propeller agitator

## **Mer**

Isolerad: Nej

Vikt: 800