

3400 liter tank i Rostfritt 304



62,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: the legs are raised with short steel leg ends, these are removable, see photos; we can't give any guarantees about the agitator

Volumetric volume (L): 3.400 L

Pressure in tank: pressure

Max. pressure (Bar): 2 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 80 mm

Agitator: yes

Agitator type: propeller agitator

Position engine: at the top

Distance from outlet to ground: 1.000 mm

Outer diameter tank: 1.600 mm

Cylinder height: 1.350 mm

Total height of tank: 3.700 mm

Empty weight tank: 800

SKU: 479400

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: the legs are raised with short steel leg ends, these are removable, see photos; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 2 Bar

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3400

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Tankutlopp: inside Ø 80 mm

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304



Dimensioner av tank

Cylinderhöjd: 1.350 mm

Mått utlopp till marken: 1.000 mm

Total höjd: 3.700 mm

Ytterdiameter: 1.600 mm

Omrörare

Position motor: at the top

Typ av omrörare: propeller agitator

Mer

Isolerad: Nej

Vikt: 800