

3450 liter tank i Syrafast 316



91 000 SEK /st exkl moms

Additional information: 4 stainless steel clamps; the insulation and insulation jacket were extensively cut open during disassembly and are missing in large sections; 1 overflow pipe inside the vessel (see photos)

Volumetric volume (L): 3.450 L

Pressure in tank: pressure

Max. temperature (°C): 80 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 150 L

Max Overpressure: 6 Bar

Max. working temperature: 80 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Total height of tank: 3.100 mm

SKU: 709396

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: 4 stainless steel clamps; the insulation and insulation jacket were extensively cut open during disassembly and are missing in large sections; 1 overflow pipe inside the vessel (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3450

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 3.100 mm

Mer

Isolerad: Ja