350 liter tank i Rostfritt 304



26 000 SEK /st exkl moms

Additional information: Minor dents in the iso jacket (see photos)
Volumetric volume (L): 350 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Top type: open

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Outlet of tank: 35
Agitator: yes
Internal diameter tank: 780 mm
Outer diameter tank: 960 mm
Cylinder height: 750 mm

Total height of tank: 1.570 mm

SKU: 402149

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Smaller dents in the insulation jacket (see photos); we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 350

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 750 mm
Invändig diameter: 780 mm
Total höjd: 1.570 mm
Ytterdiameter: 960 mm

Mer

Isolerad: Ja