

## 350 liter tank i Syrafast 316



**39,000,00 SEK /st exkl moms**

**Additional information:** Pharmacy; Outlet NW 40; hand hole NW 150; some residues of previous content

**Volumetric volume (L):** 350 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Cylinder:** 4 mm

**Bottom:** 4 mm

**Internal diameter tank:** 700 mm

**Cylinder height:** 690 mm

**Total height of tank:** 1.900 mm

**SKU:** 569669

---

Mer information



## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Pharmacy; Outlet NW 40; hand hole NW 150; some residues of previous content

Omrörare: Nej

Övertryck: 3,20 Bar

Total urtappning: Nej

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 350

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 690 mm

Invändig diameter: 700 mm

Total höjd: 1.900 mm

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 4 mm

**Mer**

Isolerad: Nej