

350 liter tank i Syrafast 316



51 000 SEK /st exkl moms

Additional information: some residues of previous content

Volumetric volume (L): 350 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 40 L

Max Overpressure: 6 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 32

Top: 4 mm

Cylinder: 4 mm

Bottom: 5 mm

Internal diameter tank: 700 mm

Outer diameter tank: 750 mm

Cylinder height: 709 mm

Total height of tank: 1.920 mm

SKU: 705874

Mer information



Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: vacuum
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 350

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 709 mm
Invändig diameter: 700 mm
Total höjd: 1.920 mm
Ytterdiameter: 750 mm

Tjocklek på tank

Botten: 5 mm
Cylinder: 4 mm
Topp: 4 mm



Mer

Isolerad: Nej