

3500 liter tank i Rostfritt 304



80,000,00 kr /st exkl moms

Additional information: dairy; diameter manhole 450 mm; dents at the insulation jacket

Volumetric volume (L): 3.800 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 50

Agitator: yes

Number of revolutions: 12 / 24

Internal diameter tank: 1.800 mm

Outer diameter tank: 2.010 mm

Cylinder height: 1.500 mm

Total height of tank: 3.300 mm

SKU: 272593

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: dairy; diameter manhole 450 mm; dents at the insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3800

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 1.800 mm

Total höjd: 3.300 mm

Ytterdiameter: 2.010 mm

Omrörare

Varvtal: 12 / 24

Mer

Isolerad: Ja
