

## 35000 liter tank i Rostfritt 304



**273 000 SEK /st exkl moms**

**Additional information:** Fat storage tank in the food industry; Base made of lightweight concrete around the lower bottom (see photos); Manhole in the upper bottom DN 415; Manhole in the cylinder DN 600 (cover of the cylinder manhole is plated); tank outlet not at the lowest point (see photos)

**Volumetric volume (L):** 35.000 L

**Pressure in tank:** ATM - atmosferic  
**Max. temperature (°C):** 75 °C  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** insulated with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** yes  
**Mobile tank:** no

**Total discharge:** yes  
**Volume:** 98 L  
**Max Overpressure:** 8 Bar  
**Max. working temperature:** 174 °C  
**Documents included:** no

**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** yes  
**Position of manway:** in the bottom  
**Outlet of tank:** flange DN80

**Internal diameter tank:** 2.796 mm  
**Outer diameter tank:** 2.972 mm  
**Total height of tank:** 7.600 mm

**SKU:** 286583

Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 75 °C

Mobil tank: Nej

Övrig information: Fat storage tank in the food industry; Base made of lightweight concrete around the lower bottom (see photos); Manhole in the upper bottom DN 415; Manhole in the cylinder DN 600 (cover of the

Övrig information2: cylinder manhole is plated); tank outlet not at the lowest point (see photos); we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 35000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 2.796 mm

Total höjd: 7.600 mm

Ytterdiameter: 2.972 mm

**Mer**

Isolerad: Ja

---