

3550 liter tank i Rostfritt 304



51 000 SEK /st exkl moms

Additional information: Laundry detergent; Manhole diameter 500 mm; Adhesions inside; 1 welded pipe inside

Volumetric volume (L): 3.550 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 0,50 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN50

Agitator: yes

Top: 3,50 mm

Cylinder: 3 mm

Bottom: 3,50 mm

Internal diameter tank: 1.308 mm

Cylinder height: 2.250 mm

Total height of tank: 3.500 mm

SKU: 276850

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Laundry detergent; Manhole diameter 500 mm; Adhesions inside; 1 welded pipe inside; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3550

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.250 mm

Invändig diameter: 1.308 mm

Total höjd: 3.500 mm

Tjocklek på tank

Botten: 3,50 mm

Cylinder: 3 mm

Topp: 3,50 mm

Mer

Isolerad: Nej