

3600 liter tank i Rostfritt 304



70 000 SEK /st exkl moms

Additional information: Pharmacy; bump at the insulation jacket

Volumetric volume (L): 3.600 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Volume: 215 L

Max. working temperature: 110 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Number of revolutions: 962

Power: 2,20

Internal diameter tank: 1.590 mm

Outer diameter tank: 1.750 mm

Cylinder height: 1.750 mm

Total height of tank: 3.650 mm

SKU: 482104

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Pharmacy; bump at the insulation jacket

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.750 mm

Invändig diameter: 1.590 mm

Total höjd: 3.650 mm

Ytterdiameter: 1.750 mm

Omrörare

Kraft (kW): 2,20

Varvtal: 962

Mer

Isolerad: Nej