3600 liter tank i Rostfritt 304



89 000 SEK /st exkl moms

Additional information: 1 pipe inside the vessel (see photos); manhole approx. 345 x 440 mm; dents at the insulation jacket
Volumetric volume (L): 3.600 L
Pressure in tank: pressure
Max. pressure (Bar): 2,60 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Min. pressure (Bar): 2,60 Bar

Max. temperature (°C): 20 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: insulated
Heat exchanger: no

Insulation: yes
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder
Outlet of tank: available
Cylinder: 3 mm

Bottom: 4 mm
Internal diameter tank: 1.400 mm
Outer diameter tank: 1.500 mm
Cylinder height: 2.000 mm
Total height of tank: 3.400 mm

SKU: 395972

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: insulated
Max. arbetstemperatur: 20 °C
Mobil tank: Nej
Övrig information: brewery; 1 pipe inside the tank (see photos); manhole appr. 345 x 440 mm; dents at the insulation jacket
Omrörare: Nej
Övertryck: 2,60 Bar
Total urtappning: Ja
Undertryck (vakuum): 2,60 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 3600

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm
Invändig diameter: 1.400 mm
Total höjd: 3.400 mm
Ytterdiameter: 1.500 mm

Tjocklek på tank
Botten: 4 mm
Cylinder: 3 mm

Mer
Isolerad: Ja

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se