

## 3650 liter tank i Rostfritt 304



**76,000,00 kr /st exkl moms**

**Additional information:** chemistry; 1 rectangular opening in the upper bottom (approx. 690 x 400 mm; becomes wider than 400 mm due to the rounding); some residues of previous content

**Volumetric volume (L):** 3.650 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 82

**Power:** 4

**Internal diameter tank:** 1.890 mm

**Cylinder height:** 1.200 mm

**Total height of tank:** 3.400 mm

**SKU:** 267568

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: chemistry; 1 trectangular opening in the upper bottom (approx. 690 x 400 mm; becomes wider than 400 mm due to the rounding); some residues of previous content; we can't give any guarantees about the

Övrig information2: agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3650

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.200 mm

Invändig diameter: 1.890 mm

Total höjd: 3.400 mm

## Omrörare

Kraft (kW): 4

Varvtal: 82

**Mer**

Isolerad: Nej

---