

3660 liter tank i Syrafast 316



94 000 SEK /st exkl moms

Additional information: cosmetic; Cone height approx. 800 mm; 1 hand hole diameter 350 mm in the upper bottom; 1 small dent in one of the feet (see photos); some residues of previous content

Volumetric volume (L): 3.660 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 3 Bar

Max. temperature (°C): 85 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 60

Top: 5,60 mm

Cylinder: 6,10 mm

Bottom: 5,10 mm

Internal diameter tank: 1.600 mm

Cylinder height: 1.500 mm

Total height of tank: 3.850 mm

SKU: 266071

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 85 °C

Mobil tank: Nej

Övrig information: cosmetic; Cone height approx. 800 mm; 1 hand hole diameter 350 mm in the upper bottom; 1 small dent in one of the feet (see photos); some residues of previous content

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3660

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 1.600 mm

Total höjd: 3.850 mm

Tjocklek på tank

Botten: 5,10 mm

Cylinder: 6,10 mm

Topp: 5,60 mm

Mer

Isolerad: Nej