

37100 liter tank i Syrafast 316



276 000 SEK /st exkl moms

Additional information: Filter plate welded inside (see pictures)

Volumetric volume (L): 37.100 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 5 Bar

Max. temperature (°C): 90 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Outer diameter tank: 3.200 mm

Cylinder height: 3.500 mm

Total height of tank: 6.200 mm

Empty weight tank: 5.800

SKU: 567584

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure
Konfiguration: single-skin
Max. arbetstemperatur: 90 °C
Mobil tank: Nej
Övrig information: Filter plate welded inside (see pictures)
Omrörare: Nej
Övertryck: 5 Bar
Total urtappning: Ja
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 37100

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.500 mm
Total höjd: 6.200 mm
Ytterdiameter: 3.200 mm

Mer

Isolerad: Nej

Vikt: 5.800