

## 37100 liter tank i Syrafast 316



**281,000,00 kr /st exkl moms**

**Additional information:** Filter plate welded inside (see pictures)

**Volumetric volume (L):** 37.100 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 5 Bar

**Max. temperature (°C):** 90 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** available

**Outer diameter tank:** 3.200 mm

**Cylinder height:** 3.500 mm

**Total height of tank:** 6.200 mm

**Empty weight tank:** 5.800

**SKU:** 567584

---

Mer information

## Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: pressure  
Konfiguration: single-skin  
Max. arbetstemperatur: 90 °C  
Mobil tank: Nej  
Övrig information: Filter plate welded inside (see pictures)  
Omrörare: Nej  
Övertryck: 5 Bar  
Total urtappning: Ja  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 37100

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 3.500 mm  
Total höjd: 6.200 mm  
Ytterdiameter: 3.200 mm

**Mer**

Isolerad: Nej

Vikt: 5.800