

376 liter tank i Syrafast 316



94,000,00 kr /st exkl moms

Additional information: Food colours; Mobile frame, Aisi 304; 1 hand hole diameter 200 mm in the upper bottom (fixing screws of the hand hole cover incomplete); some residues of previous content

Volumetric volume (L): 376 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Max. temperature (°C): 170 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 25 L

Max Overpressure: 4 Bar

Max. working temperature: 170 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 20

Internal diameter tank: 690 mm

Outer diameter tank: 750 mm

Total height of tank: 1.900 mm

SKU: 280351

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 170 °C

Mobil tank: Nej

Övrig information: Food colours; Mobile frame, Aisi 304; 1 hand hole diameter 200 mm in the upper bottom (fixing screws of the hand hole cover incomplete); some residues of previous content; we can't give any

Övrig information2: guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 4 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 376

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 690 mm

Total höjd: 1.900 mm

Ytterdiameter: 750 mm

Mer

Värmeväxlare: RVS 304

Isolerad: Ja