

## 380 liter tank i Syrafast 316



**25,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; 4 support brackets, st. st.; Hand hole diameter 210 mm (1 screw connection of the hand hole cover incomplete); some residues of previous content

**Volumetric volume (L):** 380 L

**Pressure in tank:** ATM - atmosferic

**Max. pressure (Bar):** 2 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Max Overpressure:** 2 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN50

**Internal diameter tank:** 690 mm

**Total outer length:** 1.400 mm

**SKU:** 289526

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; 4 support brackets, st. st.; Hand hole diameter 210 mm (1 screw connection of the hand hole cover incomplete); some residues of previous content

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Nej

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 380

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 690 mm

**Mer**

Isolerad: Nej

---