3800 liter tank i Syrafast 316



61 000 SEK /st exkl moms

Additional information: 4 stainless steel clamps; manhole diameter approx. 510 mm
Volumetric volume (L): 3.800 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: flange DN50
Cylinder: 3,90 mm
Internal diameter tank: 1.785 mm
Cylinder height: 1.050 mm
Total height of tank: 2.250 mm

SKU: 709363

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: 4 stainless steel clamps; manhole diameter approx. 510 mm
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 3800

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.050 mm
Invändig diameter: 1.785 mm
Total höjd: 2.250 mm

Tjocklek på tank

Cylinder: 3,90 mm

Mer

Isolerad: Nej