

3800 liter tank i Syrafast 316



110 000 SEK /st exkl moms

Additional information: Food industry; 3-legged frame, stainless steel with load cells (no guarantee on the functionality of the load cells); dents at the insulation jacket

Volumetric volume (L): 3.800 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 48

Agitator: yes

Number of revolutions: 460

Power: 0,75

Internal diameter tank: 1.590 mm

Outer diameter tank: 1.780 mm

Cylinder height: 1.880 mm

Total height of tank: 4.250 mm

SKU: 296315

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Food industry; 3-legged frame, stainless steel with load cells (no guarantee on the functionality of the load cells); dents at the insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3800

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.880 mm

Invändig diameter: 1.590 mm

Total höjd: 4.250 mm

Ytterdiameter: 1.780 mm

Omrörare

Kraft (kW): 0,75

Varvtal: 460

Mer

Isolerad: Ja
