

## 3830 liter tank i Rostfritt 304



**220,000,00 kr /st exkl moms**

**Additional information:** Biogas plant; 3 loose load cells (functionality not guaranteed; these load cells were not taken into account when specifying the total height); 3 pallets with accessories are included (see photos); some residues of previous content

**Volumetric volume (L):** 3.830 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Outlet of tank:** available

**Number of revolutions:** 60 - 800  
**Power:** 75  
**Cylinder:** 5 mm  
**Bottom:** 4 mm  
**Internal diameter tank:** 1.700 mm

**Cylinder height:** 1.500 mm  
**Total height of tank:** 3.500 mm

**SKU:** 296789

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Biogas plant; 3 loose load cells (functionality not guaranteed; these load cells were not taken into account when specifying the total height); 3 pallets with accessories are included (see photos);

Övrig information2: some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3830

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 1.700 mm

Total höjd: 3.500 mm

## Omrörare

Kraft (kW): 75

Varvtal: 60 – 800

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 5 mm

**Mer**

Isolerad: Nej