

## 390 liter tank i Syrafast 316



**185,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; 1 pump is included in delivery (no guarantee of functionality)

**Volumetric volume (L):** 390 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 4 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 26 L

**Max Overpressure:** 6 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 150 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** DN40 DIN 11851

**Agitator:** yes

**Power:** 0,37

**Cylinder:** 8 mm

**Bottom:** 6 mm

**Internal diameter tank:** 650 mm

**Outer diameter tank:** 810 mm

**Cylinder height:** 990 mm

**Total height of tank:** 2.050 mm

**SKU:** 440666

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Pharmacy; 1 pump is included in delivery (no guarantee of functionality); we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 390

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 990 mm  
Invändig diameter: 650 mm  
Total höjd: 2.050 mm  
Ytterdiameter: 810 mm

## Omrörare

Kraft (kW): 0,37

## Tjocklek på tank

Botten: 6 mm  
Cylinder: 8 mm

## Mer

Värmeväxlare: RVS 304  
Isolerad: Ja