3900 liter tank i Rostfritt 304



64 000 SEK /st exkl moms

Additional information: 2 of the feet with damage; outlet at the end diameter pipe inside approx. 65 mm (pipe of the outlet tapers at the beginning to a diameter of approx. 50 mm); tommy screw of the manhole cover made of Fe (see photos)
Volumetric volume (L): 3.900 L
Pressure in tank: pressure

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. pressure (Bar): 3 Bar
Min. pressure (Bar): 3 Bar

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: cylinder
Outlet of tank: available
Top: 4,40 mm
Cylinder: 3,70 mm

Bottom: 4,60 mm
Internal diameter tank: 1.780 mm
Cylinder height: 1.100 mm
Total height of tank: 2.550 mm

SKU: 424235

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Brewery; 2 of the feet with damage; outlet at the end, pipe diameter inside approx. 65 mm (outlet pipe tapers at the beginning to a diameter of approx. 50 mm); Toggle screw of the manhole cover made
Övrig information2: of Fe (see photos)
Omrörare: Nej
Övertryck: 3 Bar
Total urtappning: Ja
Undertryck (vakuum): 3 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 3900

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.100 mm
Invändig diameter: 1.780 mm
Total höjd: 2.550 mm

Tjocklek på tank
Botten: 4,60 mm
Cylinder: 3,70 mm
Topp: 4,40 mm

Mer
Isolerad: Nej