

39000 liter tank i Syrafast 316



209,000,00 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: 3 compartments of each 13.000L

Volumetric volume (L): 39.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 6 adjustable feet

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 3

Position of manway: cylinder

Height manhole 1 (mm): 340 mm x H 420 mm

Outer diameter tank: 3.000 mm

Cylinder height: 5.250 mm

Total height of tank: 7.000 mm

Empty weight tank: 3.000

SKU: 488139

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 3 compartments of each 13.000L

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 39000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316
Fixeringspunkt(er): RVS 304

Dimensioner av tank

Cylinderhöjd: 5.250 mm
Total höjd: 7.000 mm
Ytterdiameter: 3.000 mm

Mer

Isolerad: Nej
Vikt: 3.000