

## 3950 liter tank i Rostfritt 304



**58,000,00 kr /st exkl moms**

**Additional information:** Sparkling wine; 1 manhole approx. 320 x 420 mm in the front bottom (the manhole cover of 1 tank is missing); tanks were attached as chamber tanks to other tanks - they would have to be supported accordingly on site for installation; the thread of the outlet of 1 tank is damaged; some residues of previous content



**Volumetric volume (L):** 3.950 L  
**Pressure in tank:** pressure  
**Max. pressure (Bar):** 8 Bar  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no

**Total discharge:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Outlet of tank:** DN65 DIN 11851  
**Cylinder:** 4 mm  
**Bottom:** 3,50 mm  
**Internal diameter tank:** 1.250 mm  
**Total outer length:** 3.700 mm

**SKU:** 439937

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Sparkling wine; 1 manhole approx. 320 x 420 mm in the front bottom (the manhole cover of 1 tank is missing); tanks were attached as chamber tanks to other tanks – they would have to be supported

Övrig information2: accordingly on site for installation; the thread of the outlet of 1 tank is damaged; some residues of previous content

Omrörare: Nej

Övertryck: 8 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3950

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.250 mm

**Tjocklek på tank**

Botten: 3,50 mm

Cylinder: 4 mm

**Mer**

Isolerad: Nej