

396 liter tank i Syrafast 316



19 000 SEK /st exkl moms

Additional information: plastics industry; stronger adhesions inside; working pressure according to drawing (type plate not available); various changes of the connections by the former operator (not shown in the drawing); foot frame, 304

Volumetric volume (L): 396 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 55 L

Max Overpressure: 2 Bar

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 700 mm

Outer diameter tank: 850 mm

Cylinder height: 800 mm

Total height of tank: 1.760 mm

SKU: 266866

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: plastics industry; stronger adhesions inside; working pressure according to drawing (type plate not available); various changes of the connections by the former operator (not shown in the drawing);

Övrig information2: foot frame, 304; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 396

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 800 mm

Invändig diameter: 700 mm

Total höjd: 1.760 mm

Ytterdiameter: 850 mm

Mer

Värmeväxlare: RVS 304

Isolerad: Ja