400 liter tank i Rostfritt 304



29 000 SEK /st exkl moms

Additional information: cleaning supplies; Insulation was retrofitted by the previous owner; insulation slightly torn; ; some residues of previous content
Volumetric volume (L): 400 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Top type: open

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Outlet of tank: 40
Agitator: yes
Number of revolutions: 281
Power: 3,0
Internal diameter tank: 796 mm

Outer diameter tank: 810 mm
Total height of tank: 2.250 mm

SKU: 424019

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: cleaning supplies; insulation was added later by the previous owner; insulation slightly torn;; some residues of previous content; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 400

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 796 mm
Total höjd: 2.250 mm
Ytterdiameter: 810 mm

Omrörare

Kraft (kW): 3,0
Varvtal: 281

Mer
Isolerad: Ja