

400 liter tank i Rostfritt 304



15 000 SEK /st exkl moms

Additional information: Chemistry; Manhole diameter approx. 390 mm; Different design of the outlets; The former operator subsequently welded connections into the cylinder (see photos); traces of usage

Volumetric volume (L): 400 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 32

Internal diameter tank: 690 mm

Cylinder height: 810 mm

Total height of tank: 1.900 mm

SKU: 429023

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 120 °C

Mobil tank: Nej

Övrig information: Chemistry; Manhole diameter approx. 390 mm; Different design of the outlets; The former operator subsequently welded connections into the cylinder (see photos); traces of usage

Omrörare: Nej

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 400

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 810 mm

Invändig diameter: 690 mm

Total höjd: 1.900 mm

Mer

Isolerad: Nej
