

400 liter tank i Syrafast 316



21,000,00 kr /st exkl moms

Additional information: Biomass; Cone height appr. 400 mm; 3-legged frame, Aisi 304; 3 short pipes inside the tank

Volumetric volume (L): 400 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 72

Internal diameter tank: 890 mm

Cylinder height: 570 mm

Total height of tank: 1.520 mm

SKU: 404093

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Biomass; Cone height appr. 400 mm; 3-legged frame, Aisi 304; 3 short pipes inside the tank

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 400

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 570 mm

Invändig diameter: 890 mm

Total höjd: 1.520 mm

Mer

Isolerad: Nej