400 liter tank i Syrafast 316



56 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; 1 sight glass missing in the cylinder (see photos)
Volumetric volume (L): 400 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C
Material wet parts: SS AISI 316 (V4A)
Model: horizontal
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 50
Agitator: yes
Number of revolutions: 762

Power: 1,50
Cylinder: 4 mm
Bottom: 4 mm
Internal diameter tank: 800 mm
Total height of tank: 1.950 mm

Total outer length: 1.250 mm

SKU: 414092

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single-skin
Max. arbetstemperatur: 150 °C
Mobil tank: Nej
Övrig information: Pharmaceutical Chemistry; 1 sight glass missing in the cylinder (see photos); we can’t give any guarantees about the agitator
Omrörare: Ja
Övertryck: 6 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 400

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 800 mm
Total höjd: 1.950 mm

Omrörare
Kraft (kW): 1,50
Varvtal: 762

Tjocklek på tank
Botten: 4 mm
Cylinder: 4 mm

Mer
Isolerad: Nej