

## 400 liter tank i Syrafast 316



**56,000 SEK /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; 1 sight glass missing in the cylinder (see photos)

**Volumetric volume (L):** 400 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 6 Bar



**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 50

**Agitator:** yes

**Number of revolutions:** 762

**Power:** 1,50

**Cylinder:** 4 mm

**Bottom:** 4 mm

**Internal diameter tank:** 800 mm

**Total height of tank:** 1.950 mm

**Total outer length:** 1.250 mm

**SKU:** 290674

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; 1 sight glass missing in the cylinder (see photos); we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 400

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Invändig diameter: 800 mm

Total höjd: 1.950 mm

**Omrörare**

Kraft (kW): 1,50

Varvtal: 762

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 4 mm

**Mer**

Isolerad: Nej