

4000 liter tank i Rostfritt 304



75 000 SEK /st exkl moms

Additional information: Pharmacy; Upper bottom with 2 folding segments; 1 screwed-on reduction (DN 25 DIN 11851) on the outlet

Volumetric volume (L): 4.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN40 DIN 11851

Agitator: yes

Number of revolutions: 7 / 14

Power: 1.5 / 2.5

Internal diameter tank: 1.840 mm

Cylinder height: 1.650 mm

Total height of tank: 2.600 mm

SKU: 462705

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Upper bottom with 2 folding segments; 1 screwed-on reduction (DN 25 DIN 11851) on the outlet; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.650 mm

Invändig diameter: 1.840 mm

Total höjd: 2.600 mm

Omrörare

Kraft (kW): 1.5 / 2.5

Varvtal: 7 / 14

Mer

Isolerad: Nej
