

## 4000 liter tank i Rostfritt 304



**48 000 SEK /st exkl moms**

**Additional information:** ethanol; Support frame made of Fe; insulated jacket with dents and large areas no longer present; manhole approx. 300 x 400 mm in the front floor; some residues of previous content; manhole cover is missing

**Volumetric volume (L):** 4.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** horizontal

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Outlet of tank:** flange DN65

**Agitator:** yes  
**Number of revolutions:** 195  
**Power:** 1,50  
**Internal diameter tank:** 1.290 mm  
**Total height of tank:** 2.150 mm

**Total outer length:** 3.700 mm

**SKU:** N/A

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: ethanol; bearer frame made of Fe; insulation jacket with dents and extensively nonexistent; manhole appr. 300 x 400 mm in one of the bottoms; some residues of previous content; manhole cover is

Övrig information2: missing; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.290 mm

Total höjd: 2.150 mm

## Omrörare

Kraft (kW): 1,50

Varvtal: 195

**Mer**

Isolerad: Ja

---