

4000 liter tank i Rostfritt 304



52,000,00 kr /st exkl moms

Additional information: ethanol; bearer frame made of Fe; insulation jacket with dents and extensively nonexistent; manhole appr. 300 x 400 mm in one of the bottoms; some residues of previous content; manhole cover is missing

Volumetric volume (L): 4.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: flange DN65

Agitator: yes
Number of revolutions: 195
Power: 1,50
Internal diameter tank: 1.290 mm
Total height of tank: 2.150 mm

Total outer length: 3.700 mm

SKU: N/A

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: ethanol; bearer frame made of Fe; insulation jacket with dents and extensively nonexistent; manhole appr. 300 x 400 mm in one of the bottoms; some residues of previous content; manhole cover is

Övrig information2: missing; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.290 mm

Total höjd: 2.150 mm

Omrörare

Kraft (kW): 1,50

Varvtal: 195

Mer

Isolerad: Ja
