

4000 liter tank i Rostfritt 304



54 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 4.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Bottom outlet: yes

Total discharge: yes

Fixation points: 3 non adjustable feet

Type of HE on the cylinder: dimple-jacket

Position HE: the middle part of the cylinder

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 330 mm x H 430 mm

Tank outlet: inside Ø

Outlet of tank: DN40

Agitator: no

Distance from outlet to ground: 145 mm

Outer diameter tank: 1.210 mm

Cylinder height: 3.460 mm

Total height of tank: 4.000 mm

Empty weight tank: 800

SKU: 487710



Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: dished
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 4000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank

Cylinderhöjd: 3.460 mm

Mått utlopp till marken: 145 mm

Total höjd: 4.000 mm

Ytterdiameter: 1.210 mm

Värmeväxlare

Position värmeväxlare: the middle part of the cilinder

Typ av värmeväxlare på cylinder: dimple-jacket

Mer

Isolerad: Nej

Vikt: 800