4000 liter tank i Rostfritt 304



82 000 SEK /st exkl moms

Article type: second-hand pressure tank
Additional information: The cooling jacket is broken, the tank itself has been pressure tested to 3 bar and does not leak. The tank has some deformations at the front and one inside the tank --> look closely at the photos please.
Volumetric volume (L): 4.000 L
Pressure in tank: pressure
Design pressure (Bar): 3 Bar

Max. pressure (Bar): 2 Bar
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: single-skin
Heat exchanger: no

Insulation: yes
Mobile tank: no
Top type: dished
Shape of tank: cylindrical
Bottom type: strong conical

Bottom outlet: yes
Total discharge: yes
Fixation points: 3 adjustable feet
Outer jacket (ornamental wall): RVS 304
Manway(s): RVS 304

Gasket manway(s): unknown
Valve: RVS 304
Gasket shut-off valve (mat): unknown
Fixation point(s): RVS 304
Suitable for food industry: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Number of manways: 1

Position of manway: cylinder
Height manhole 1 (mm): 445 mm x H 335 mm
Tank outlet: inside Ø 50 mm
Outlet type: DIN11851 male
Total outlet valve: yes

Agitator: no, optional
Insulation thickness: 80
Internal diameter tank: 1.580 mm
Distance from outlet to ground: 400 mm
Outer diameter tank: 1.820 mm

Cylinder height: 2.160 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Total height of tank: 4.100 mm
Empty weight tank: 700

SKU: 387809

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Designtryck för tanken: 3 Bar
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: The cooling jacket is broken, the tank itself has been pressure tested to 3 bar and does not leak. The tank has some deformations at the front and one inside the tank –> look closely at the
Övrig information2: photos please.
Omrörare: Nej
Övertryck: 2 Bar
Tankens form: cylindrical
Total urtappning: Yes
Typ av botten: strong conical
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 4000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851 male
Utloppsventil: Ja

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304
Ytterbeklädnad: RVS 304

Dimensioner av tank

Cylinderhöjd: 2.160 mm
Invändig diameter: 1.580 mm
Mått utlopp till marken: 400 mm
Total höjd: 4.100 mm
Ytterdiameter: 1.820 mm

Mer

Isoleringstjocklek OW: 80
Isolerad: Ja
Vikt: 700