4000 liter tank i Rostfritt 304



41 000 SEK /st exkl moms

Additional information: fruit juice industry; Frame construction of the feet made of Fe (see photos); dome screws of the feet missing; manhole diameter 450 mm
Volumetric volume (L): 5.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: yes
Position of manway: headside

Outlet of tank: 50
Internal diameter tank: 1.990 mm
Cylinder height: 1.650 mm
Total height of tank: 2.650 mm

SKU: 391436

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: fruit juice industry; frame construction of the feet made of Fe (see pictures); height-adjustable screws of the feet are missing; manhole diameter 450 mm
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Ja
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.650 mm
Invändig diameter: 1.990 mm
Total höjd: 2.650 mm

Mer

Isolerad: Nej