4000 liter tank i Rostfritt 304



70 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Test overpressure +4 bar
Volumetric volume (L): 4.000 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 50 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: headside
Outlet of tank: flange DN100
Cylinder: 5 mm
Bottom: 4,40 mm
Internal diameter tank: 1.600 mm

Cylinder height: 1.640 mm
Total height of tank: 3.000 mm

SKU: 405224

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: Pharmaceutical chemistry; +4 bar test pressure
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 4000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.640 mm
Invändig diameter: 1.600 mm
Total höjd: 3.000 mm

Tjocklek på tank

Botten: 4,40 mm
Cylinder: 5 mm

Mer
Isolerad: Nej