

4000 liter tank i Rostfritt 304



70 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Test overpressure +4 bar

Volumetric volume (L): 4.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN100

Cylinder: 5 mm

Bottom: 4,40 mm

Internal diameter tank: 1.600 mm

Cylinder height: 1.640 mm

Total height of tank: 3.000 mm

SKU: 281140

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; +4 bar test pressure

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.640 mm

Invändig diameter: 1.600 mm

Total höjd: 3.000 mm

Tjocklek på tank

Botten: 4,40 mm

Cylinder: 5 mm

Mer

Isolerad: Nej
