

## 4000 liter tank i Rostfritt 304



**68,000,00 kr /st exkl moms**

**Additional information:** dairy; Dents in the upper bottom and in the insulation jacket; diameter manhole appr. 430 mm

**Volumetric volume (L):** 4.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Position of manway:** in the bottom

**Outlet of tank:** flange DN65

**Internal diameter tank:** 1.580 mm

**Outer diameter tank:** 1.720 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 3.500 mm

**SKU:** 266791

## Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: dairy; Dents in the upper bottom and in the insulation jacket; diameter manhole appr. 430 mm

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.580 mm

Total höjd: 3.500 mm

Ytterdiameter: 1.720 mm

## Mer

Isolerad: Ja