4000 liter tank i Rostfritt 304



68 000 SEK /st exkl moms

Additional information: dairy; Dents in the upper bottom and in the insulation jacket; diameter manhole appr. 430 mm
Volumetric volume (L): 4.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: yes
Position of manway: in the bottom

Outlet of tank: flange DN65
Internal diameter tank: 1.580 mm
Outer diameter tank: 1.720 mm
Cylinder height: 2.000 mm
Total height of tank: 3.500 mm

SKU: 390971

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: insulated
Mobil tank: Nej
Övrig information: dairy; Dents in the upper bottom and in the insulation jacket; diameter manhole appr. 430 mm
Omrörare: Nej
Total urtappning: Yes
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 4000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Ja
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm
Invändig diameter: 1.580 mm
Total höjd: 3.500 mm
Ytterdiameter: 1.720 mm

Mer

Isolerad: Ja