

4000 liter tank i Syrafast 316



137,000,00 kr /st exkl moms

Additional information: Pharmacy; Height-adjustable screws of the feet are no longer available; slight metallic discoloration inside the tank; The complete documentation can be purchased from the manufacturer for a fee of 600€

Volumetric volume (L): 4.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 143 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 65

Top: 7,90 mm

Cylinder: 6 mm

Bottom: 5,80 mm

Internal diameter tank: 1.730 mm

Cylinder height: 1.450 mm

Total height of tank: 3.100 mm

Empty weight tank: 850

SKU: N/A

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 143 °C

Mobil tank: Nej

Övrig information: Pharmacy; Height-adjustable screws of the feet are no longer available; slight metallic discoloration inside the tank; The complete documentation can be purchased from the manufacturer for a fee of

Övrig information2: 600€

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 4000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 1.450 mm
Invändig diameter: 1.730 mm
Total höjd: 3.100 mm

Tjocklek på tank

Botten: 5,80 mm
Cylinder: 6 mm
Topp: 7,90 mm

Mer

Isolerad: Nej
Vikt: 850