

## 40000 liter tank i Rostfritt 304



**285,000,00 kr /st exkl moms**

**Additional information:** there is a dent in the insulation cladding, the inner tank itself is ok

**Volumetric volume (L):** 40.000 L

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Shape of tank:** cylindrical

**Total discharge:** yes



**Insulation material:** rockwool  
**Outer jacket (ornamental wall):** RVS 304  
**Manway(s):** RVS 304  
**Gasket manway(s):** unknown  
**Fixation point(s):** RVS 304

**Wet parts agitator(s):** SS AISI 304 (V2A)  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no

**Number of manways:** 1  
**Position of manway:** at the top  
**Height manhole 1 (mm):** 300 mm x H 400 mm  
**Tank outlet:** inside Ø 100 mm  
**Agitator:** yes

**Agitator type:** propeller agitator  
**Position engine:** at the top  
**Number of revolutions:** 25/51  
**Power:** 7,50  
**Voltage:** three-phase

**Insulation top:** yes  
**Insulation body:** yes  
**Insulation bottom/sides:** yes  
**finish of the outer jacket:** welded  
**Distance from outlet to ground:** 1.100 mm

**Outer diameter tank:** 3.850 mm  
**Total height of tank:** 8.300 mm  
**Empty weight tank:** 4.600

**SKU:** 12372

Mer information

---