

40000 liter tank i Rostfritt 304



174 000 SEK /st exkl moms

Additional information: Horizontal design mounted on two Fe (galvanized) bearing shells; the frame and ladder shown in the photos are available as optional extras for an additional charge; dimensions listed are based on information provided by the previous operator; some residues of previous content

Volumetric volume (L): 40.000 L



Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: available
Internal diameter tank: 2.820 mm
Outer diameter tank: 3.200 mm
Total outer length: 7.000 mm

SKU: 705511

Mer information



Beskrivning av produkt

Material: Rustfritt stål 304

Modell: Horisontal

Nyttillverkad/Begagnad: Brukt

Arbetsstryck i tank: ATM – atmosfærisk

Konfiguration: isolert

Mobil tank: Nei, det er det ikke.

Övrig information: Horizontal design mounted on two Fe (galvanized) bearing shells; the frame and ladder shown in the photos are available as optional extras for an additional charge; dimensions listed are based on

Övrig information2: information provided by the previous operator; some residues of previous content

Omrörare: Nei

Total urtappning: Ja

Uppvärmning/kylning: Nei, det er det ikke.

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 40000

Utrustning

Dokument finns: Nei, det er det ikke.

Fläns för omrörare: Nei

Märkskylt: Nei, det er det ikke.

Teknisk ritning finns: Nei, det er det ikke.

Översikt material

Material: Rustfritt stål 304

Dimensioner av tank

Invändig diameter: 2.820 mm

Ytterdiameter: 3 200 mm

Mer

Isolerad: Ja

