40000 liter tank i Rostfritt 304



237 000 SEK /st exkl moms

Volumetric volume (L): 40.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder
Outlet of tank: available

Agitator: yes
Number of revolutions: 470 / 960
Power: 1.8 / 8.4
Top: 4 mm
Cylinder: 3 mm

Bottom: 5 mm
Outer diameter tank: 2.800 mm
Total height of tank: 7.490 mm

SKU: 708178

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 40000

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 7.490 mm
Ytterdiameter: 2.800 mm

Omrörare

Kraft (kW): 1.8 / 8.4
Varvtal: 470 / 960

Tjocklek på tank
Botten: 5 mm
Cylinder: 3 mm
Topp: 4 mm

Mer
Isolerad: Nej